



Inventor: Sidney S. Wang
S.N. 10/613,311
Sheet 1 of 3

FIG. 1





FIG. 2 and FIG. 3 are cross-sectional views of a medical device, likely a catheter or endoscope. The device consists of a main shaft (16) and a handle assembly (48). The shaft (16) is shown in a curved configuration, with a proximal end (20) and a distal end (102). The handle assembly (48) is located at the proximal end of the shaft. It includes a main body (20) and a control handle (30). The control handle (30) has a curved, ergonomic shape with a grip (26) and a trigger (28). The main body (20) of the handle assembly is connected to the shaft (16) via a joint (14). The shaft (16) is composed of several sections: a proximal section (20), a middle section (22), and a distal section (102). The shaft (16) is surrounded by a sheath (18) and a control cable (50). The handle assembly (48) is shown in a cross-sectional view, revealing internal components such as the control cable (50), a control handle (30), and a trigger (28). The handle assembly (48) is connected to the shaft (16) via a joint (14). The shaft (16) is shown in a curved configuration, with a proximal end (20) and a distal end (102). The shaft (16) is surrounded by a sheath (18) and a control cable (50). The handle assembly (48) is shown in a cross-sectional view, revealing internal components such as the control cable (50), a control handle (30), and a trigger (28). The handle assembly (48) is connected to the shaft (16) via a joint (14). The shaft (16) is shown in a curved configuration, with a proximal end (20) and a distal end (102). The shaft (16) is surrounded by a sheath (18) and a control cable (50). The handle assembly (48) is shown in a cross-sectional view, revealing internal components such as the control cable (50), a control handle (30), and a trigger (28). The handle assembly (48) is connected to the shaft (16) via a joint (14).



[illegible]